

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S46	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S47	0	"x-lfsr" and "y-lfsr"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S48	0	"x-lfsr" "y-lfsr"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S49	360	lfsr and cdma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S50	0	10/651848	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S51	51	(first adj initial adj state) and (second adj initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S52	0	(first adj initial adj state) and (second adj initial adj state) and (lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S53	0	(first adj initial adj state) and (second adj initial adj state) and (lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08

EAST Search History

S54	99	(6721293 6795689 20040120289 6501788 20030099357 6836469 20030081575 20040120274 20060121907 20030095529 20040258182 6804214 7035676 20010034254 20030039303 20030119444 20040032848 20040085921 20050085255 20050094816 20050143118 6570889 6862314 6775318 6934526 20020009129 20020051431 20020064211 20030103478 20030133429 20040057468 20050063345 20060193339 6185244 6459694 7061967 20030235238 20040114552 20060056552 5930366 5956368 6301289 6339646 6385264 6526039 6526065 6526091 6535495 6567482 6577671).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S55	218	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S56	4	(first adj initial adj state) and (second adj initial adj state) and (lfsr or (linear adj feedback adj shift adj register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S57	0	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q)) and (new adj initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S58	51	lfsr and wcdma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S59	0	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q)) and (initial adj state) and DSC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S60	19	lfsr and wcdma and (QAM or (I near Q))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08

EAST Search History

S61	82	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q)) and (initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S62	551	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S63	1	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q)) and (first adj initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S64	26	(lfsr or (linear adj feedback adj shift adj register)) with x with y	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S65	9	(lfsr or (linear adj feedback adj shift adj register)) with x with y and (wcdma or cdma or 3gpp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S66	0	(lfsr or (linear adj feedback adj shift adj register)) with x with y and (wcdma or cdma or 3gpp) and dsc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S67	212	secondary with (scrambling adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S68	4573	(lfsr or (linear adj feedback adj shift adj register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08

EAST Search History

S69	14	S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S70	2	(lfsr or (linear adj feedback adj shift adj register)) with x and (new with (initial adj state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S71	0	(lfsr or (linear adj feedback adj shift adj register)) with x and new adj initial adj state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S72	75	(lfsr or (linear adj feedback adj shift adj register)) and (new with (initial adj state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S73	3703	375/130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S74	1	(lfsr or (linear adj feedback adj shift adj register)) and new adj initial adj state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S75	7454	370/342	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S76	5	S73 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08

EAST Search History

S77	6	S75 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S78	54	S75 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S79	8	secondary with (scrambling adj code) and (initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S80	16	S73 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S81	2312	375/147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S82	19	S81 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S83	0	S81 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S84	233	708/252	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08

EAST Search History

S85	0	((lfsr or (linear adj feedback adj shift adj register)) and new adj initial adj state).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S86	4	S84 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S87	3	S84 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S88	2	((lfsr or (linear adj feedback adj shift adj register)) and (new with (initial adj state))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S89	0	(second adj (lfsr or (linear adj feedback adj shift adj register)) and (new with (initial adj state))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:08
S90	3	"4217469".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 14:13

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

"code generator" "first initial state" "second init

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 2 of 2 for "**code generator**" "**first initial state**" "**second initial state**". (0.07 seconds)

Tip: Try removing quotes from your search to get more results.

Coding and decoding apparatus for the protection of communication ...

... a finite number of steps from its **first initial state** to a **second initial state**, ... the **code generator** of the receiving apparatus must necessarily be ...

www.freepatentsonline.com/4217469.html - 101k - [Cached](#) - [Similar pages](#)

Coding and decoding apparatus for the protection of communication ...

... number of steps from its **first initial state** to a **second initial state**, ... As examples, first, the **code generator** has no control over the register ...

www.patentmonkey.com/PM/PatentID/4217469.aspx - 207k - Supplemental Result - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 2 already displayed.

If you like, you can repeat the search with the omitted results included.

"code generator" "first initial state" "s

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

"downlink code generator" "first initial" "second initial"

[Advanced Search](#)
[Preferences](#)

Web

Tip: Try removing quotes from your search to get more results.

Your search - **"downlink code generator" "first initial" "second initial"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

"downlink code generator" "first initial" "second initial"

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 101 for "**code generator**" "**first initial**" "**second initial**". (0.75 seconds)

Method of producing rolling code and keyless entry apparatus using ...
changing the **first initial** code variable by producing at least a **second initial** code variable
and transmitting the at least **second initial** code variable to ...
www.patentstorm.us/patents/6225889-claims.html - 23k - [Cached](#) - [Similar pages](#)

Iterative CDMA phase and frequency acquisition - US Patent 7050485

... wherein the acquisition subsystem includes: a **code generator** that is ... The method of
claim 14, wherein the **second initial** frequency corresponds to the ...
www.patentstorm.us/patents/7050485-claims.html - 21k - [Cached](#) - [Similar pages](#)
[[More results from www.patentstorm.us](#)]

[PDF] [X](#) " "

File Format: PDF/Adobe Acrobat

second initial load digit and so forth until. n. digits have been. determined. The local **code generator** feedback loop. is now. closed and shifting begins. ...
ieeexplore.ieee.org/iel5/8159/23795/01091714.pdf - [Similar pages](#)

Time code generator - Patent 5892552

A time **code generator** is provided and contains a detector, ... interfacing means can
change at least one of said **first initial** value and said **second initial** ...
www.freepatentsonline.com/5892552.html - 76k - [Cached](#) - [Similar pages](#)

Iterative CDMA phase and frequency acquisition - Patent 7050485

The method of claim 14, wherein the **second initial** frequency corresponds to ... The code
sequence is provided to the correlator 320 by a **code generator** 310 ...
www.freepatentsonline.com/7050485.html - 42k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

EP1496637 Samsung european software patent - Apparatus and method ...

A CRC (Cyclic Redundancy **Code**) **generator** is a typical example of the error ... The **first initial** value and the **second initial** value are determined within a ...
gauss.ffii.org/PatentView/EP1496637 - 122k - [Cached](#) - [Similar pages](#)

Simultaneous plural code series generator and CDMA radio receiver ...

The receiver includes a plural **code generator** for simultaneously ... shift stages in which a
second initial value which is distinct from the **first initial** ...
www.linkgrinder.com/Patents/Simultaneous_pl_6728305.html - 116k - Supplemental Result
- [Cached](#) - [Similar pages](#)

Data authentication using modification detection codes based on a ...

forming an initial 2N-bit first key value by masking the combination of a **first initial** N bit
value with a **second initial** N bit value; ...
www.patentmonkey.com/PM/patentid/4908861.aspx - 216k - Supplemental Result -
[Cached](#) - [Similar pages](#)

Coding and decoding apparatus for the protection of communication ...

... number of steps from its **first initial** state to a **second initial** state, ... As examples, first,
the **code generator** has no control over the register ...
www.patentmonkey.com/PM/PatentID/4217469.aspx - 207k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[[More results from www.patentmonkey.com](#)]

Data transmission method and apparatus using multiple scrambling ...

The receiving apparatus of claim 9, wherein: the first **code generator** has a ... register to a **first initial** value after a predetermined number of bits, ...

www.freshpatents.com/Data-transmission-method-and-apparatus-using-multiple-scrambling-codes-dt20060330pta... - 27k - Supplemental Result - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) **[Next](#)**

"code generator" "first initial" "second"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

SCIRUS
for scientific information only

SCIRUS
free science search engine

- ☒ All Journal Sources
☒ All Web Sources

[About Us](#)

[Newsroom](#)

[Advisory Board](#)

[Submit Web Site](#)

[Help](#)

[Contact Us](#)

Basic Search

[Advanced Search](#) [Search Preferences](#)

"code generator" AND "first initial state" AND "second


☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:"code generator" AND "first initial state" AND "second initial state"

Found:: :1 total | 0 journal results | 1 preferred web results | 0 other web results

Sort by:: :relevance | date

Or
AI

- ☐ 1. Coding and decoding apparatus for the protection of communication secrecy
Martelli, Emilio, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT,
Aug 1980
...signal is transmitted only one time by the transmitting apparatus at the beginning of
the sequence provided by the relative **code generator** and renders impossible a
subsequent synchronization with other users desiring to listen. Further, the synchronizing
signal...
Full text available at patent office. For more in-depth searching go to  LexisNexis
[similar results](#)

Sponsored links

CodeSmith Code Generator

Template-driven. Easy to use. Your code. Your way. Faster!

www.codesmithtools.com



[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2007

SCIRUS
for scientific information only

SCIRUS
free science search engine

Find

☒ All Journal Sources

☒ All Web Sources

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"code generator" AND first AND "initial state" AND sec

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:"code generator" AND first AND "initial state" AND second AND "linear f

Found:: :162 total | [1 journal results](#) | [113 preferred web results](#) | [48 other web results](#)

Sort by:: :[relevance](#) | [date](#)

Save checked results

Email checked results

Export checked results

- ☐ 1. [Microsoft Word - C.S0002-0 Ver 2.04.doc \[PDF-839K\]](#)
Sep 2003
...10 Band Class 9 (900 MHz Band) 2-28 26
2.1.1.1.11 Band Class 10 (**Secondary** 800 MHz Band) 2-30
27 2.1.1.2 Frequency Tolerance...
[more hits from](#) [http://ucesp.ws.binghamton.edu/~xli/eece542/std/3gpp2/...] [similar results](#)
- ☐ 2. [GNU Scientific Library -- Reference Manual - Random Number Generation \[45K\]](#)
Jan 2003
Go to the **first** previous next last section, table of contents...u\n", gsl_rng_default_seed)
printf("**first** value = %u\n", gsl_rng_get (r)) return...a.out generator type: mt19937
seed = 0 **first** value = 2867219139 By setting the two...
[http://www.ugcs.caltech.edu/info/gsl/gsl-ref_17.html] [similar results](#)
- ☐ 3. [GNU Scientific Library -- Reference Manual - Random Number Generation \[45K\]](#)
Jan 2002
Go to the **first** previous next last section, table of contents...u\n", gsl_rng_default_seed)
printf("**first** value = %u\n", gsl_rng_get (r)) return...a.out generator type: mt19937
seed = 0 **first** value = 2867219139 By setting the two...
[http://www.linux.duke.edu/~mstenner/free-docs/gsl-ref-...] [similar results](#)
- ☐ 4. [IEEE TRANSACTIONS ON COMMUNICATIONS VOL COM - 30 NO 5 \[PDF-126K\]](#)
Oct 2003
...7) k = 1 since the **second** term averages to zero...energy E , of duration T **seconds**.
This signal is one-dimensional...t) p (t) , the **first** term may be extracted...frequencies
every TH **seconds**, the total bandwidth...from a short segment. **Linear feedback shift**
register (LFSR) sequences [4...
[http://pdos.csail.mit.edu/decouto/papers/pickholtz82.p...] [similar results](#)
- ☐ 5. [Microsoft Word - ModuleUserManualD33.doc \[PDF-290K\]](#)
Feb 2003
...Turbo Decoder 81 GMSK Modulator module 84 CRC Encoder module 88 CRC Decoder

Re
US
foi
aul
bit
chi
cor
cor
cor
dal
de
gal
ho
mu
noi
noi
rac
rer
tra
Or
Al
F

module 90 **First** interleaving 92 **Second** interleaving 94 **First** De-interleaving 96 **Second** De-Interleaving 98 TFCI Bits Generation 100 BPSK Modulation 103 QPSK Modulation 105...

[<http://www.csem.ch/SLATS/files/d33.pdf>]
[similar results](#)

☐ 6. [Bluetooth Specification](#) [PDF-2MB]

Jun 2000

Wireless connections made easy Specification of the Bluetooth System v1.0 B December 1st 1999 Specification Volume 1 Core 3 Date / Day-Month-Year Status Document No. Responsible e-mail address N.B. 01 Dec 99 page 3 of 1082 BLUETOOTH DOC Specification of the Bluetooth System Version 1.0 B 1.C.47/1.

[more hits from](#) [<http://cobweb.ecn.purdue.edu/~mobility/course/Bluetoot...>]
[similar results](#)

☐ 7. [Bluetooth Specification](#) [PDF-2MB]

Jun 2000

Wireless connections made easy Specification of the Bluetooth System v1.0 B December 1st 1999 Specification Volume 1 Core 3 Date / Day-Month-Year Status Document No. Responsible e-mail address N.B. 01 Dec 99 page 3 of 1082 BLUETOOTH DOC Specification of the Bluetooth System Version 1.0 B 1.C.47/1.

[<http://www.ecn.purdue.edu/VISE/mobility/course/Bluetoo...>]
[similar results](#)

☐ 8. [Bluetooth Specification](#) [PDF-2MB]

Jun 2000

Wireless connections made easy Specification of the Bluetooth System v1.0 B December 1st 1999 Specification Volume 1 Core 3 Date / Day-Month-Year Status Document No. Responsible e-mail address N.B. 01 Dec 99 page 3 of 1082 BLUETOOTH DOC Specification of the Bluetooth System Version 1.0 B 1.C.47/1.

[<http://vise.www.ecn.purdue.edu/VISE/mobility/course/Bl...>]
[similar results](#)

☐ 9. [bb.fm](#) [PDF-368K]

Mar 2003

...129 11.2.1 **First** addition operation...131 11.2.4 **Second** addition operation...

[<http://www.csse.monash.edu.au/courseware/cse4882/resou...>]
[similar results](#)

☐ 10. [Serial Attached SCSI Standard](#) [PDF-2MB]

Jul 2003

As such this is not a completed standard and has not been approved. The contents may be modified by the T10 Technical Committee. The contents are actively being modified by T10. This document is made available for review and comment only.

[more hits from](#) [<http://www.t10.org/ftp/t10/drafts/sas/sas-r05.pdf>]
[similar results](#)

☐ 11. [GNU Scientific Library -- Reference Manual - Random Number Generation](#) [46K]

Feb 2003

Go to the **first** previous next last section, table of contents...u\n", gsl_rng_default_seed) printf("**first** value = %u\n", gsl_rng_get (r)) return...a.out generator type: mt19937 seed = 0 **first** value = 2867219139 By setting the two...

[http://www.en.polyu.edu.hk/manuals/gsl-manual/gsl-ref_...]
[similar results](#)

☐ 12. [GNU Scientific Library -- Reference Manual - Random Number Generation](#) [45K]

Jan 2002

Go to the **first** previous next last section, table of contents...u\n", gsl_rng_default_seed) printf("**first** value = %u\n", gsl_rng_get (r)) return...a.out generator type: mt19937 seed = 0 **first** value = 2867219139 By setting the two...

[<http://linux.duke.edu/~mstenner/free-docs/gsl-ref-1.1/...>]

[similar results](#)

- ☐ **13. Algorithm/Architecture Co-Design for Wireless Communications Systems** [PDF-441K]

Nov 2001

...high-performance wireless digital receivers. **First**, a front-end design methodology is...systematic architecture explorations. **Second**, multiple orders of magnitude improvement...help and advice, especially during my **first** year at Caltech. Thanks Grandaunt and...

[<http://bwrc.eecs.berkeley.edu/Publications/2001/Theses...>]

[similar results](#)

- ☐ **14. Microsoft Word - jingdiss_2003.doc** [PDF-222K]

Sep 2003

...Technology iii ACKNOWLEDGEMENTS **First** of all, I would like to express...67 GPS P-**code Generator** Architecture...67 4.1 P-**code Generator** Architecture...69 4.2 GPS P-**code Generator** Tuning Model...

[<http://www.ent.ohiou.edu/~starzyk/network/Research/The...>]

[similar results](#)

- ☐ **15. gharavi.qxd** [PDF-69K]

Sep 2003

...mega chips per **second**) and 3.6864 Mcps...transmitted in the **first** $1152 \times N$ chip and...these channels. The **first** three blocks append...encoder returns to the **initial state** at the end of the...section describes **first** the manner in which...through 6. The long **code generator**, which will be discussed...

[<http://nvl.nist.gov/pub/nistpubs/jres/108/4/j84gha.pdf>]

[similar results](#)

- ☐ **16. Method for updating a linear feedback shift register of code generator**

Nieminen, Esko, EUROPEAN PATENT APPLICATION, Nov 2000

...means of a **code generator**, for example...generator using a **linear feedback shift register**. WO Publication...**register**. The **initial state** is always...the known **initial state** to a new...how each **initial state** element needs...number of **linear feedback shift register** elements...**register** of a **code generator** to a target...

Full text available at patent office. For more in-depth searching go to  LexisNexis™

[view all 110 results from Patent Offices](#)

[similar results](#)

- ☐ **17. Method for updating linear feedback shift register of code generator**

Lipponen, Veli / Moilanen, Pentti, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Oct 2003

...spreading **code generator** 260A, 260B...element of the **initial state** should be...onward using a **linear feedback shift register**. The required...indicate the **initial state** values of the **linear feedback shift register** and the ordinal...using the **linear feedback shift register** described...output of the **first** element 272...input of the **second** element 274...set as the **initial state** with the...

Full text available at patent office. For more in-depth searching go to  LexisNexis™

[view all 110 results from Patent Offices](#)

[similar results](#)

- ☐ **18. METHOD FOR UPDATING LINEAR FEEDBACK SHIFT REGISTER OF CODE GENERATOR**



LIPPONEN, Veli / MOILANEN, Pentti, PATENT COOPERATION TREATY APPLICATION, Sep 2000

...generated with a **code generator**, with a **code generator** using a **linear feedback shift register**, for instance...**register**. The **initial state** is always...spreading **code generator** 260A, 260B...element of the **initial state** should be...onward using a **linear feedback shift register**. The required...

Full text available at patent office. For more in-depth searching go to  LexisNexis™

[view all 110 results from Patent Offices](#)

[similar results](#)

19. Method for updating a linear feedback shift register of code generator
Nieminen, Esko, *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, Dec 2003
...spreading **code generator** 260A, 260B...how each **initial state** element must...memory, or the **linear feedback shift register** is used to...elements of the **linear feedback shift register**, and the...from the **initial state**. FIG. 2C...Galois-type **linear feedback shift register**, but it is...output of the **first** element 272...input of the **second** element 274...
Full text available at patent office. For more in-depth searching go to  LexisNexis™
[view all 110 results from Patent Offices](#)
[similar results](#)
20. Method for updating linear feedback shift register of code generator
Lipponen, Veli E. / Moilanen, Pentti, *UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION*, Mar 2002
...spreading **code generator** 260A, 260B...element of the **initial state** should be...onward using a **linear feedback shift register**. [0054] The...indicate the **initial state** values of the **linear feedback shift register** and the ordinal...using the **linear feedback shift register** described...output of the **first** element 272...input of the **second** element 274...set as the **initial state** with the...
Full text available at patent office. For more in-depth searching go to  LexisNexis™
[view all 110 results from Patent Offices](#)
[similar results](#)

Sponsored links

CodeSmith **Code Generator**

Template-driven. Easy to use. Your code. Your way. Faster!

www.codesmithtools.com

Generator Review

Find out which Generators are best with our unbiased reviews.

www.ConsumerReports.org



Results Pages: [[<< Prev](#)] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [[Next >>](#)]

[back to top](#)

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2007

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((code generator<in>metadata) <and> (first initial state<in>metadata))) <..."

☒ e-mailYour search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((((code generator<in>metadata) <and> (first initial state<in>metadata))) <and> (p

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
 Inspec®[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "(((code generator<in>metadata) <and> (initial state<in>metadata))) <and>g..." [e-mail](#)

Your search matched 3 of 1574558 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((code generator<in>metadata) <and> (initial state<in>metadata))) <and> (pyr >

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **A new approach to long code acquisition in spread spectrum radio**
 Glisic, S.G.; Todorovic, B.M.; Popovic-Lavrinssek, M.Z.;
[Military Communications Conference, 1991. MILCOM '91. Conference Record. Communications in a Changing World'.](#), IEEE
 4-7 Nov. 1991 Page(s):1281 - 1285 vol.3
 Digital Object Identifier 10.1109/MILCOM.1991.258474
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Code acquisition scheme for frequency hopping radio in channels with fa**
 Todorovic, B.M.;
[Electronics Letters](#)
 Volume 33, Issue 3, 30 Jan. 1997 Page(s):178 - 179
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) IET JNL
- ☐ 3. **On the compilation of statecharts models into target code for embedded**
 Erpenbach, E.; Stroop, J.; Rammig, F.J.;
[Computer Aided Control System Design, 1999. Proceedings of the 1999 IEEE Symposium on](#)
 22-27 Aug. 1999 Page(s):249 - 254
 Digital Object Identifier 10.1109/CACSD.1999.808656
[AbstractPlus](#) | Full Text: [PDF\(488 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

 Indexed by